

STATE OF MAINE DEPARTMENT OF AGRICULTURE, CONSERVATION & FORESTRY LAND USE PLANNING COMMISSION 22 STATE HOUSE STATION AUGUSTA, MAINE 04333-0022

WALTER E. WHITCOMB
COMMISSIONER

NICHOLAS D. LIVESAY EXECUTIVE DIRECTOR

Fax: 207-287-7439

PERMIT CONDITIONS OF APPROVAL FOR AMENDMENT H TO BUILDING PERMIT BP9901-H

DENNIS W. AND CINDY L. FRIGON PO BOX 99 ROCKWOOD, ME 04478

SEPTEMBER, 17 2015

PHONE: 207-287-2631

- 1. At least one week prior to commencing the permitted activities, the permittee or the designated agent must contact the Commission staff and notify them of the estimated date construction work will start. Notice may be provided in writing, in person, by email, or by calling. If you leave or send a message, please include your full name, telephone number, permit number, and the date the work will start.
- Construction activities authorized in this permit must be substantially started within 2 years of the effective date of this permit and substantially
 completed within 5 years of the effective date of this permit. If such construction activities are not started and completed within this time
 limitation, this permit shall lapse and no activities shall then occur unless and until a new permit has been granted by the Commission.
- 3. Structures authorized under this permit, as well as filled and graded areas and cleared openings created as part of construction activities authorized under this permit, must be located to meet the road, property line, water and wetland setback distances, exterior dimensions and building heights listed in the tables in Sections 4 and 5 and approved by this permit.
- 4. Cleared openings created as part of construction activities authorized under this permit must be effectively stabilized and revegetated.
- 5. All imported fill material must be free of hazardous or toxic materials and must not contain debris, trash, or rubbish.
- 6. Upon completion of the authorized structures within the terms of this permit, any existing structures to be removed from the lot and other construction debris must be disposed of in a proper manner, in compliance with applicable state and federal solid waste laws and rules...
- Soil disturbance must not occur when the ground is frozen or saturated. Topsoil must not be removed from the site except for that necessary
 for construction activities authorized in this permit. Topsoil must be stockpiled at least 100 feet from any water body.
- 3. Temporary and permanent sedimentation control measures must be implemented to effectively stabilize all areas of disturbed soil and to catch sediment from runoff water before it leaves the construction site so that sediment does not enter water bodies, drainage systems, water crossings, wetlands or adjacent properties. Clearing and construction activities, except those necessary to establish sedimentation control devices, shall not begin until all erosion and sedimentation control devices (including ditches, culverts, sediment traps, settling basins, hay bales, silt fences, etc.) have been installed and stabilized. Once in place, such devices shall be maintained to ensure proper functioning.
- 9. Effective, temporary stabilization of all disturbed and stockpiled soil must be completed at the end of each work day. All temporary sedimentation and erosion control devices shall be removed after construction activity has ceased and a cover of healthy vegetation has established itself or other appropriate permanent control measures have been effectively implemented. Permanent soil stabilization shall be completed within one week of inactivity or completion of construction.

- 10. All exterior lighting must be located and installed so as to illuminate only the target area to the extent possible. Exterior lighting must not produce a strong, dazzling light or reflection beyond lot lines onto neighboring properties, water bodies, or roadway so as to impair driver vision or to create nuisance conditions.
- 11. This permit is dependent upon and limited to the proposal as set forth in the application and supporting documents, except as modified by the Commission in granting this permit. Any variation is subject to prior review and approval of the Maine Land Use Planning Commission. Any variation from the application or the conditions of approval undertaken without approval of the Commission constitutes a violation of Land Use Planning Commission law...
- 12. If the permittee holds interest in this parcel of land via a sales contract or other binding agreement, the permittee shall submit a copy of the deed transferring title of this parcel to the Commission upon final execution of such deed.
- 13. Once construction is complete, the permittee shall submit a self-certification form, notifying the Commission that all conditions of approval of this permit have been met. The permittee shall submit all information requested by the Commission demonstrating compliance with the terms of this permit.
- 14 The permittee shall secure and comply with all applicable licenses, permits, authorizations, and requirements of all federal, state, and local agencies including but not limited to: Air and Water Pollution Control Regulations; Subsurface Wastewater Disposal System approval from the Local Plumbing Inspector and/or Maine Department of Health and Human Services, Subsurface Wastewater Program.
- 15. All conditions of previously issued Commission permits shall remain in effect, except as specifically modified by this permit. In addition, all conditions of any Subdivision Permit authorizing the creation of the permittee's parcel as they pertain to said parcel shall remain in effect.

This permit is approved only upon the above stated conditions and remains valid only if the permittee complies with all of these conditions. Any person aggrieved by this decision of the staff may, within 30 days, request that the Commission review the decision.

LUPC AUTHORIZATION (for office use)

2
he

LUPC Authorized Signature

Effective Date


4 / 3 0 3 BP 990 / -	H	0	\$ (7	>. d			B	uile	ding F	96	erm	it A	mer	ndm	ient
1. APPLICANT INFORMATION	· · · · · · ·										SH	ORT F	ORM for	Residen	tial Dev	elopment
Applicant Name(s) Dennis D. + Cinde Mailing Address O C. C. C.	10	. F	RI	90	M		Daytimo うろし	Phone	34	FAX (if app	olica	able)	A STATE OF THE PARTY OF THE PAR	75	ALE BORNEY OF THE PARTY OF THE	
Mailing Address P.O. Box 9 (Town Rockwood	1					aga, and the galactic control of the galactic control				State M	R-	ING	W (6)	Zip	Code Vyyr	2. (Br
2. PROJECT LOCATION AND PRO	PER	ΓY D	ETA	ILS												
Township, Town or Plantation Town	he	-c _Y	1	7)CJ	? .	ara wanda kalan alaya isi masawa aka	County	S	somer	لا	L				
Tax Information (check Tax Bill) Map: O Plan: Lot								All Zoning at Development Site (check the LUPC map)								
Road Frontage. List the name(s) and fro private roads, or other rights-of-way adjact Road #1: Dalus Plantage Road #2:	cent to	you	lot:	tage	106	NX	r	lakes, po	nds, riv	e. List the newers, stream	s, (or other	r waters	on or a	djacen From	
3. EXISTING STRUCTURES (Fill in a	a line 1	or ea	ich e	xistin	g stru	icture)	den elecciones had the delice	P	reviou	ısly issued	d B	uildin	g Pern	nit BP		ga programa garanteene accessories
			averlice devicement					Horizontal Distance (in feet) of structure from nearest:								
Type of structure (dwelling, garage, deck, porch, shed, driveway, parking area, etc.)	Year built Exterior dimensions (in feet) (LxWxH)					Type of foundation (full basement, slab, post, etc.)			Road	Property line	Lake or pond	River or stream	Wetland	Ocean/Tidal waters		
Deelling	man and	S_{∞}	remarks with			58>	252	Tall	1398	(dran	+	17	1		ΙX	<u>a</u>
GARAGE		200 200	-	30× PAX 3A 15×30×15		Jr 1 or	on Pals Stab		00/	18	100	2/4	4	1/2		
	and the state of the state of the	Andread State of the State of t			10.7 - 2000-000						An order of the desirement of the state of t		and the state of t	Age of the country of		
4. PROPOSED ACTIVITIES (Fill in a	line fo	or ea	ch ne	w or	modi	fied stru	ucture)						and the same of th			WINDOWS CONTRACTOR
NIPPA-NATIONAL			Prop	osal	(chec	k all tha	at apply	')	and the state of t		action and the second			Distance e from n		
Type of structure (dwelling, garage, deck, porch, shed, driveway, parking area, etc.)	New structure*	Reconstruct*	Expand	Relocate*	Remove	Enclose deck/porch	Permanent foundation*	Change dimensions or setbacks	Dir (1 6-6-	Exterior mensions in feet) LxW(xH)	ago grandis produced to the state of the sta	Road	Lake or pond	River or stream	Wetland	Ocean/Tidal waters
and Garax with	X		X					The state of the s	Lugaren	ding c	1	3 3	1× 10	2 0/4	42	Aln
Mallitian									colok	550×30	W.	\				The same and the s
									16	1 1	-	10.55	e 0 e .	-1/s	an gentern and classed safety pushighers	er hange construction a first property
The state of the s	ļЦ	Ш							Luful	orly out	500	el (Mile	News	ucos	()
* Reconstructions, Relocations, Perma a. If the structure or foundation will r explain what physical limitations (not me	et the e, slo	e LUI pe, k	PC's ocatio	minin on of	num se septic s	tback d	istances fi	om pro							
		wa 2020 - 2070 -	3E (CE	IVE	:D-		al remana i a mi referentisti se analmo tomas.	ahuhuseshaanaleessamendo	na va dena Johan des d'Alexandre, la Videl III Arenda Marine, auss i Les a misses constituent d'années des les de la Campillant de na				CONTRACTOR	a sample	

b.	If YES, was t	he struct	as the existing structure beer ure in regular active use withi ate the structure was damage	n a 2	year period p	receding the d				
5. V	EGETATION	CLEAR	ING, FILLING AND GRAD	ING,	SOIL DIST	URBANCE (If	applicable, fil	in this table)		
paner areas	er et als wits die Mandelmonann en medika beren tilbierer schaffeligt (defende in	CA SAMPA AND DESCRIPTION OF THE PARTY OF THE	Contraction of the Contraction of Contraction of the Security of the Contraction of the C	LEAVE MANUEL WARRING	Dista	nce (in feet) be	construence and the second	Nothern and authorized of the contribution of	area and the n	earest:
is one to ensure of the fundament of	Proposed New Area (in so cleared/filled/disturbed				Road	Property line	Lake or pon	d River or stream	Wetland	Ocean/Tida Waters
C	leared area				X	X		Ala		ALA
F	illed/disturbed a	rea		THE TYPE GOVERN	100	100	100	Mille	and stee	1//1/
٧	Vhat is the avera	age slope	of land between the area to	be fill	led/disturbed	and the waterb	ody or wet		1.0%	6 🗆 NA
6. F	ROSPECTIVE	ELY ZO	NED AREAS (RANGELEY	/ ARI	EA ONLY)			0	31	gayda o frank a dhillia a dhilig bha a shi bhilli fhad d dhillia bha dhillia fha
	r Townships? YES, please of	A R omplete (damstown Twp. Dallas F langeley Plt. Richard the following table regarding t	Plt. sontov	L vn Twp. S dth of the veg	incoln Plt. Sandy River Plt. Jetative buffers	Maga Town	30 3	A IV	'ES □NO
9	xisting and prop	osed str	uctures and the nearest appli		road, proper Vidth of Vegeta		district sett	In h	3	-
and the same	DL L 1	-	Road		Property Line		operty Line	1 17	:S	or D-CI)
Lancement has word in whitever if a person in a contract of the contract of th	Standard Minimum Required:	50 fee	t in D-GN, D-GN2, D-GN3 t in D-RS, D-RS2, D-RS3 feet in D-ES and D-Cl		15 feet	15	feet	50 feet Buf	fer to other Subd	listricts
a francosta de la constanta de	This property:		feet		feet	(Septimono COMPONITA APPAIN	feet	et feet		
Ager	nt Name (if applica	Barrier of the Control of the Contro	JRE (REQUIRED) AND A	GENT		ZATION (OPT ytime Phone	FA	X (if applicable)		
Maili	ng Address						Em	ail (if applicable)		
Tow	n						Sta	te	Zip (Code
and or wi narra cond with busid Build Com	to the best of my thout any require ative and depicti litions to any cor- all conditions ar ness to act as ma ling and Energy mission's review act buildings or	y knowle red exhib- ion of who ntractors nd limitat ny legal a Code (Now is limite enforce a	and am familiar with the information dge and belief, this application bits that it will result in delays it at currently exists on and what working on my project. I unclines of any permits issued to agent in all matters relating to MUBEC) administered by the led only to land use issues and any provisions of that Code.	n is coin pro at is patersta me by this paterstand	omplete with cessing my poroposed at the nd that I am uy the LUPC. Permit applicate Department Commission of the commiss	all necessary e ermit decision. ne property. I co ultimately respo if there is an Ac tion. I understa of Public Safet does not make	xhibits. I und The informat ertify that I wil nsible for con jent listed abound that while y, Bureau of E any findings r	erstand that if the content of the c	he application i cation is a true this permit and applicable regu athorize that ind red Statewide I & Standards, T	s incomplete and adequate d associated llations and dividual or Maine Uniforn he
	authorize staff or evaluating the si egulatory require request that sta	of the La te to veri ements, aff of the	es below: (see "Accessing the dise Planning Commission ify the application materials I I and the terms and conditions Land Use Planning Commiss represses of any necessary.	to adhave sof m	ccess the proj submitted, an y permit. ①	ect site as nece d for the purpo DO VOY	essary at any se of inspection of the contract ntact me in ac	reasonable houng for complian	ce with statutor PKASE	y and
T. NOW	ALBERT CHARLES AND CHARLES OF CHARLES CONTRACT CONTRACT CHARLES		ted on the deed, lease or sa	lediari-bhas-defe-	dichi dindrasina samana di manana	removable and the district CM and the total	1	**************************************	i germanismo neve e novano nasen se si forma mandia da escono seda si form	
2	A	Russ	Alwin				Date (0)	29/15		
Sigr	nature(s)	L	e personant men anna ann ann ann ann ann ann ann ann	SCHEMINION NO-	CO ANY COMMON PROPERTY OF THE	огранизоннятичностью возможения	Date Of	2/12		manus administrativos models softi alimbilis su militario (1970 mentes softi alimbilis softi alimbilis softi a
	See about make at the about	11	e (уруж, кот мунуулуунун такжы раты такка кылыма мененен уружунын кылыма кажан жана кажы кылыма кажы жай байга	and a second Pilosoppa and the No			Date (1)	192112	Ed hillshe bods of locandonimism remainment	andiscar-acrossor survivous, which shall be redirect of 9 states

For office use:	
BP	1
Tracking No.	Permit No.

EXHIBIT C: SITE PLAN

Prepare a bird's-eye view site plan that shows your entire property and includes all the elements described for Exhibit C in the instructions on page ii. Do not use colors. Refer to the instructions on page ii for a sample site plan.




Notes/Legend: Propose alline dinersins	
EV. xM = not got of & which to ward	
Valere to allowed to sisting 6 may Max - 20'	00.100.00000000000000000000000000000000
Heist will not exceed 30' amplier on proposed new Sider	
AT THE ROJET - floor Plan uncestain, but grelly about what you see a	INGC
durg fred	

For office use:		
	BP]
Tracking No.	Permit No.	

EXHIBIT D-1: SITE PLAN

Prepare a bird's-eye view site plan that shows your entire property and includes all the elements described for Exhibit D in the instructions. Do not use colors. Refer to the instructions for a sample site plan.



21 SPAUCE POINT TOMHEGAN TWP CINDY + DENNIS FRIGON SCALE: 1"50" HoU.S€ MODSEAKE HWL SETBACK 751 WL SETBACK MAXIMUM EXTENT NEW CONSTRUCTION

Wolfertz, Ted

From:

Cindy Frigon <dcfrigon@gmail.com>

Sent:

Friday, August 28, 2015 7:08 AM

To:

Wolfertz, Ted

Subject:

Fwd: Re: FW: Frigon application

Attachments:

Frigon Wetland Sketch.pdf

Is this what you need???? Please advise

----- Forwarded message -----

From: "Stephen Howell" <showellsoilsolutions@gmail.com>

Date: Aug 28, 2015 6:06 AM

Subject: Re: FW: Frigon application

To: "Cindy Frigon" <dcfrigon@gmail.com>

Cc:

Cindy,

Thank you for the aerial photograph and information. Based on that information and the wetland delineation and site work conducted on August 26 a Wetlands Sketch was prepared for your use. Although the sketch is hand drawn and rough, it is to scale and accurately reflects the wetland boundary on the portion of your lot proposed for construction. In addition, the sketch illustrates the location of existing fill, existing garage and house, maximum lake high water line, and maximum area of proposed future development. The wetland delineation was conducted following current standards but for purposes of clarity only the LUPC Chapter 10 wetland classification is included on the plan. As I mentioned on site, all wetlands within 75 feet of the proposed construction are forested wetlands. I decided not to have the attached sketch professionally drafted because it is clear from the sketch there is little to no potential impact to wetland resources. Specifically, when you discuss your proposed project with LUPC please point out the following:

- 1. There is no new construction, soil disturbance, or fill proposed within 100 linear feet of the maximum high water line of Moosehead Lake.
- 2. All of the proposed construction will occur within the foot print of existing fill that was placed prior to the current wetland rules, except for an approximately 100 square feet of new fill for parking north of the existing garage.
- 3. All of the proposed construction will occur outside the 75-foot PWL-1 recommended setback, except for approximately 1200 square feet of new fill within approximately 60 feet of the PWL-1 boundary to the west of the existing garage.
- 4. Construction will follow current erosion control standards required by LUPC for all projects within 250 feet of a lake and wetland. This will include installation of a sediment barrier between the edge of proposed construction and the lake or wetland.

Regarding potential phosphorus control concerns. It is my understanding that a common treatment factor for phosphorus control is use of undisturbed forested buffers. Since it is your intent to maintain the existing undisturbed forested buffer ranging from 60 feet to more than 75 feet between the edge of proposed construction and the edge of the forested wetland, a forested buffer meeting or exceeding minimum requirements under the current "Phosphorus Control in Lake Watersheds" handbook already exists. In addition, with implementation of required LUPC erosion control standards, including a sediment barrier, movement of soil material into the buffer zone will not be an issue. This is critical because it is a well established fact that

available phosphorus will only move into a waterbody when attached to a soil particle. That is, without movement of a soil particle into the water from erosion there is little to no translocation of phosphorus into waterbodies. With a 60 to 75 foot wide undisturbed forested buffer and required erosion control measures, additional phosphorus control measures should not be required.

Please feel free to forward this email and attached sketch to LUPC if you concur with my work. If you prefer to have a professional drafted plan and report let me know. Please let me know if you have any questions.

Steve Howell Soil Solutions

On Thu, Aug 27, 2015 at 4:20 PM, Cindy Frigon < dcfrigon@gmail.com > wrote:

Steve...the map is attached...I will call you on the measurementsnot sure what you want

TOMHEGAN TWP 21 SPAUCE POINT KOAD CINDY + DENNIS FRIGON SCALE: 1 50' MODSEHEAD 100 (HWL) SETBACK 751 WZ SETBACK MAXIMUM EXTENT NEW CONSTRUCTION